Author Index

Archarya, S.K., see Gandhi, B.M., 169

Al-Layl, K.J., Poon, G.K. and Codd, G.A. Isolation and purification of peptide and alkaloid toxins from *Anabaena flos-aquae* using high-performance thin-layer chromatography, 251

Alderson, G., see Black, T., 265

Allievi, L., Catelani, D., Ferrari, A. and Treccani, V. A method for counting denitrifiers by N_2O detection, 67

Altwegg, M. and Zollinger-Iten, J. Identification of Enterobacteriaceae, *Aeromonas* spp. and *Plesiomonas shigelloides* with the ATB 32GN system, 103

Altwegg, M. and Zollinger-Iten, J. Antimicrobial susceptibility testing of Enterobacteriaceae, *Aeromonas* spp. and *Plesiomonas shigelloides* with the ATB system, 111

Arnold, W.N. A small, sturdy and durable rotator for the continuous agitation of yeasts in liquid cultures, 179

Asante, M., Holton, J., Jackson, F.R. and Smith, I. Polyacrylamide gel electrophoresis and subspeciation of total cell proteins from multi-antibiotic-resistant skin diphtheroids labelled with [^{35}S]methionine or [^{35}S]thioATP and of coagulase negative staphylococci labelled with [^{35}S]methionine, 157

Attwell, R.W., see Plant, J.E., 259

Barkey, T., see Ogram, A., 57

Bauda, P., see Falla, J.A., 285

Bayer, E.A., see Lamed, R., 233

Bercovier, H., Resnick, M., Kornitzer, D. and Levy, L. Rapid method for testing drug-susceptibility of *Mycobacteria* spp. and gram-positive bacteria using rhodamine 123 and fluorescein diacetate, 139

Black, T., Alderson, G. and Thomas, T.H. Refinement of an adherence assay for the measurement of bacterial attachment to silica beads, 265

Block, J.C., see Falla, J.A., 285

Britz, T.J., see Joubert, W.A., 73

Catelani, D., see Allievi, L., 67

Codd, G.A., see Al-Layl, K.J., 251

Coetzee, D.J., Kock, J.L.F. and Pretorius, G.H.J. The value of orthogonal-field-alternation gel electrophoresis as a rapid identification process for some species representing the genus *Saccharomyces*, 219

Colleran, E., see Reynolds, P.J., 115

Colwell, R.R., see Zelibor, J.L., Jr., 143

Condón, S., Oria, R. and Sala Trepat, F.J. Heat resistance of microorganisms: an improved method for survival counting, 37

Cowan, M.M. and Fletcher, M. Rapid screening method for detection of bacterial mutants with altered adhesion abilities, 241

Cullimore, D.R. and Mansuy, N. A screen arc model well to simulate iron bacterial fouling, 225

Dazzo, F.B., see Hollingsworth, R.I., 295

Ek, H., see Tunlid, A., 77

Falla, J.A., Bauda, P. and Block, J.C. Isolation of cell envelope layers of *Pseudomonas fluorescens*, 285

Fedorak, P.M., Semple, K.M. and Westlake, D.W.S. A statistical comparison of two culturing methods for enumerating sulfate-reducing bacteria, 19

Ferrari, A., see Allievi, L., 67

Filip, Z., see Smed-Hildmann, R., 303

Gandhi, B.M., Irshad, M., Archarya, S.K. and Tandon, B.N. The immunofluorescent detection of *Entamoeba histolytica* in pus using avidin–biotin system, 169

Gerchakov, S., see Little, B., 193

Gibson, G.R., Parkes, R.J. and Herbert, R.A. Evaluation of viable counting procedures for the enumeration of sulfate-reducing bacteria in estuarine sediments, 201

Hall, M.S., see Vaden, V.R., 211
Hampton, G.J., see Vaden, V.R., 211
Herbert, R.A., see Gibson, G.R., 201
Hollingsworth, R.I. and Dazzo, F.B. The use of phenylcarbamate derivatives for the GC-MS characterization of 3-hydroxyalkanoic acids in the lipopolysaccharides of *Rhizobium*, 295
Holton, J., see Asante, M., 157
Hsu, A.H.-M., see Montville, T.J., 1
Huang, G.T.-C., see Montville, T.J., 1

Irshad, M., see Gandhi, B.M., 169

Jackson, F.R., see Asante, M., 157
Johnson, D.B., Macvicar, J.H.M. and Rolfe, S. A new solid medium for the isolation and enumeration of *Thiobacillus ferrooxidans* and acidophilic heterotrophic bacteria, 9
Joubert, W.A. and Britz, T.J. A simple and inexpensive method for the long-term preservation of microbial cultures, 73

Kjelleberg, S., see Malmcrona-Friberg, K., 45
Knaebel, D.B. and Vestal, J.R. A comparison of double vial to serum bottle radiorespirometry to measure microbial mineralization in soils, 309
Kock, J.L.F., see Coetzee, D.J., 219
Kornitzer, D., see Bercovier, H., 139
Krivobok, S., Seigle-Murandi, F., Steinman, R. and Marzin, D. Screening methods to detect toxigenic fungi in liquid medium, 29

Lamed, R., Naimark, J., Morgenstern, E. and Bayer, E.A. Scanning electron microscopic delineation of bacterial surface topology using cationized ferritin, 233
Leach, F.R., see Vaden, V.R., 211
Levy, L., see Bercovier, H., 139
Little, B., Gerchakov, S. and Udey, L. A method for the sterilization of natural seawater, 193

Macvicar, J.H.M., see Johnson, D.B., 9
Malmcrona-Friberg, K., Valeur, A., Odham, G. and Kjelleberg, S. A new system for estimating the bacterial chemotactic response applied to a model oligotrophic system, 45
Mansuy, N., see Cullimore, D.R., 225
Marzin, D., see Krivobok, S., 29
Matthysse, A.G. A method for the bacterial elicitation of a hypersensitive-like response in plant cell cultures, 183
Meyer, M.E., see Montville, T.J., 1
Montville, T.J., Meyer, M.E., Hsu, A.H.-M. and Huang, G.T.-C. High Pressure liquid chromatography and wide-bore capillary gas-liquid chromatography methods for quantification of acetoin and diacetyl from bacterial cultures, 1
Morgenstern, E., see Lamed, R., 233

Naimark, J., see Lamed, R., 233

Odham, G., see Malmcrona-Friberg, K., 45
Odham, G., see Tunlid, A., 77
Ogram, A., Sayler, G.S. and Barkay, T. The extraction and purification of microbial DNA from sediments, 57
Oria, R., see Condón, S., 37

Parkes, R.J., see Gibson, G.R., 201
Plant, J.E., Attwell, R.W. and Smith, C.A. A semi-micro quantitative assay for cellulolytic activity in microorganisms, 259
Pollard, P.C. Dialysis: a simple method of separating labelled bacterial DNA and tritiated thymidine from aquatic sediments, 91
Poon, G.K., see Al-Layl, K.J., 251
Potgieter, T.R., see Tredoux, H.G., 131
Pretorius, G.H.J., see Coetzee, D.J., 219

Resnick, M., see Bercovier, H., 139
Reynolds, P.J. and Colleran, E. Evaluation and improvement of methods for coenzyme F420 analysis in anaerobic sludges, 115
Rolfe, S., see Johnson, D.B., 9

Sala Trepat, F.J., see Condòn, S., 37
Sayler, G.S., see Ogram, A., 57
Schaub, G.A., Schurr, E. and Reduth, D. Isolation and separation of cysts and epimastigotes of *Blastocrithidia triatomae* Cerisola et al., 1971 (Trypanosomatidae), 277
Seigle-Murandi, F., see Krivobok, S., 29
Semple, K.M., see Fedorak, P.M., 19
Smed-Hildmann, R. and Filip, Z. A simple preparative technique for observation of microorganisms from municipal refuse by transmission electron microscopy, 303
Smith, C.A., see Plant, J.E., 259
Smith, I., see Asante, M., 157
Steinman, R., see Krivobok, S., 29

Tamplin, M.L., see Zelibor, J.L., Jr., 143
Tandon, B.N., see Gandhi, B.M., 169
Thomas, T.H., see Black, T., 265
Tracey, R.P., see Tredoux, H.G., 131
Treccani, V., see Allievi, L., 67
Tredoux, H.G., Potgieter, T.R. and Tracey, R.P. A computer programme as an aid in the identification of yeast strains, 131
Tunlid, A., Ek, H., Westerdahl, G. and Odham, G.

Determination of ^{13}C-enrichment in bacterial fatty acids using chemical ionization mass spectrometry with negative ion detection, 77

Udey, L., see Little, B., 193

Vaden, V.R., Webster, J., Hampton, G.J., Hall, M.S. and Leach, F.R. Comparison of methods for extraction of ATP from soil, 211
Valeur, A., see Malmcrona-Friberg, K., 45
Vestal, J.R., see Knaebel, D.B., 309

Webster, J., see Vaden, V.R., 211
Westerdahl, G., see Tunlid, A., 77
Westlake, D.W.S., see Fedorak, P.M., 19

Zelibor, J.L., Jr., Tamplin, M.L. and Colwell, R.R. A method for measuring bacterial resistance to metals employing epifluorescent microscopy, 143
Zollinger-Iten, J., see Altwegg, M., 103, 111

Subject Index

Acetoin, 1
Acetylene block technique, 67
Acetylmethylcarbinol, 1
Acidophilic heterotroph, 9
Adhesion assay, 241
Adhesion mutant, 241
Aeromonas, identification of, 103
ALA, 169
Anabaena alkaloid toxin, 251
Anabaena flos-aquae, 251
Anabaena peptide toxin, 251
Anaerobic digester performance, 115
Anaerobic sludge analysis, 115
Antibiotic resistance, 157
Aquatic sediments, 91
Assay discs, 73
ATB 32GN system, 103
ATB system, 111
ATP, 211

2,3-Butanedione, 1
Bacterial acid, 77
Bacterial adhesion, 241, 265
Bacterial chemotaxis, 45
Bacterial growth, 91
Bacterial resistance, 143
Bacterial surface topology, 233
Batch-culture, 179
Bio-assay, 143
Biodegradation, 309
Biofilm, 225
Bioluminescence, 211
Biotin–avidin, 169
Blastocrithidia, 277

^{13}C-enrichment, 77
Carrot suspension culture, 183
Cationized ferritin, 233
Cellulolytic activity, 259
Cellulose (lignocellulose) mineralization, 309
Cellulose–azure, 259
Coenzyme F420, 115
Computer program, 131
Corrosion, 19
Cyanobacterial toxin, 251
Cyst, 277
Cytoplasmic membrane, 285

Daucus carrota, 183
Denitrifiers, 67
Diacetyl, 1
Dialysis, 91
Direct counts, 201
Direct viable count, 143
DNA, extraction of, 57
DNA, purification of, 57
Double vial radiorespirometry, 309
Drug susceptibility, 139

Enterobacteriaceae, identification of, 103
Epimastigotes, 277
Exocellular structure, 233

Filtration, 193
Firefly luciferase, 211
Fluorescence, 169
Fluorescent probe, 139

Gas chromatography, 67
Gas-liquid chromatography, 1
Gram-negative rods, 111
Gravel pack, 225
Growth medium, 9

3-Hydroxy fatty acid, 295
3-Hydroxy-2-butanone, 1

Heavy metal, 143
High pressure liquid chromatography, 1
Hypersensitive response, 183

Iron bacteria, 225
Isolation and purification methods, 277
Isolation method, 285

Lipid, 295
Lipopolysaccharide, 295
Liquid medium, 29

[^{35}S]Methionine, 157
Marine bacterium, 45
Mass spectrometry, 295
Microbial cultures, preservation of, 73
Microbial mineralization, 309
Microorganism, 303
  heat resistance of, 37
Model well, 225
Most probable number, 19
Municipal refuse, 303
Mycobacterium spp., 139
Mycotoxin, detection of, 29

Negative ion chemical ionization, 77
Nitrate reduction, 67
Nitrous oxide, 67

Oral streptococci, 265
Orthogonal-field-alternation gel
  electrophoresis, 219
Outer membrane, 285

PAGE, 157
Pasteurization, 193
Peptidoglycan, 285
Phospholipid ester-linked fatty acid, 77
Plesiomonas, identification of, 103
Plugging, 225
Poly-β-hydroxybutyrate, 77
Preparative technique, 303
Produced water, 19
Pseudomonas fluorescens, 285
Pseudomonas syringae pv. *phaseolicola*, 183
Pyrogallol, 19

Quantitative assay, 259

Rotator, 179

Saccharomyces, identification of, 219
Scanning electron microscopy, 233
Seawater, 193
Sediments, 57
Selected ion monitoring, 77
Self-purification, 225
Serum bottle radiorespirometry, 309
Silica beads, 265
Skin diphtheroids, 157
Soil, 67, 309
  biomass, 211
Specific methanogenic activity, 115
Stable isotope labelling, 77
Staphylococci, 157
Starvation, 45
Sterilization, 193
Sulfate-reducing bacteria, 19, 201
Surfactants, 201
Survival counting, 37
Susceptibility testing, 111

[^{35}S]ThioATP, 157
Taxonomy, 131
Thiobacillus ferrooxidans, 9
Tobacco suspension culture, 183
Total cell proteins, subspeciation of, 157
Transmission electron microscopy, 303
Tritiated thymidine, 91

Viable counts, 201

Well screen, 225
Well treatment, 225

Yeast strains, 131, 179